


ME SERIES金屬化聚乙脂膜電容器系列

METALLIZED POLYESTER FILM CAPACITOR (MINI-BOX) TYPE:MEB[CL23B]



特點 Features


- 尺寸小,節省空間。
- 無感結構。
- 有自愈性。
- 阻燃性高(UL94V-0)。
- 阻止濕度滲入特強。
- Space-saving miniature size.
- Non-inductive construction.
- Self-healing property.
- Flame-retardant plastic case and epoxy resin (compliance with UL94V-0)
- High-moisture resistance.

技術參數 Specifications

引用標準 (Reference Standard)	GB/T 7332 (IEC 60384-2)
氣候類別 (Climatic Category)	55/100/56
容量範圍 (Capacitance Range)	0.001uf~1uf
標準容量允許偏差 (Standard deviation of capacity to allow)	J:±5% K: ±10%
額定溫度 Rated Temperature	+85°C
使用工作溫度範圍 (Use the operating temperature range)	-55°C ~+105°C +85°C ~+105°C:Decreasing factor 1.25% per°C for V _R (DC)
工作電壓 (Operating Voltage)	50~63VDC,100VDC ~ 500 VDC
損耗角正切 (Loss tangent)	≤1% max(at25°C,1KHz)
絕緣電阻 (Insulation resistance)	CR≤0.33uF, IR≥15000MΩ CR>0.33uF, IR≥5000S
耐電壓 (Voltage proof)	WVD×150%, 60 sec

ME SERIES金屬化聚乙脂膜電容器系列

外形圖 Outline Drawing



外形尺寸表 Dimension

Unit : mm

CAP	R.V.	SIZE				
		W	H	T	P	D (ϕ)
102	63	7.2	7.5	3.5	5	0.5
102	100	7.2	7.5	3.5	5	0.5
102	400	7.2	7.5	3.5	5	0.5
222	63	7.2	7.5	3.5	5	0.5
222	100	7.2	7.5	3.5	5	0.5
222	400	7.2	7.5	3.5	5	0.5
332	400	7.2	7.5	3.5	5	0.5
472	400	7.2	7.5	3.5	5	0.5
562	100	7.2	7.5	3.5	5	0.5
103	100	7.2	7.5	3.5	5	0.5
103	400	7.2	7.5	3.5	5	0.5
103	500	7.2	7.5	3.5	5	0.5
223	100	7.2	7.5	3.5	5	0.5
223	400	7.2	9.5	4.5	5	0.5
473	63	7.2	9.5	4.5	5	0.5
473	250	7.2	9.5	4.5	5	0.5
683	100	7.2	7.5	3.5	5	0.5
104	63	7.2	7.5	3.5	5	0.5
104	100	7.2	7.5	3.5	5	0.5
104	250	7.2	11.0	6.0	5	0.5
124	63	7.2	7.5	3.5	5	0.5
154	63	7.2	10.0	5.0	5	0.5

ME SERIES金屬化聚乙脂膜電容器系列

外形尺寸表 Dimension

Unit : mm

CAP	R.V.	SIZE				
		W	H	T	P	D (Φ)
184	63	7.2	10.0	6.0	5	0.5
224	63	7.2	7.5	3.5	5	0.5
224	250	7.2	11.0	6.0	5	0.5
334	63	7.2	10.0	5.0	5	0.5
334	100	7.2	9.5	4.5	5	0.5
394	63	7.2	9.5	4.5	5	0.5
474	63	7.2	9.5	4.5	5	0.5
474	100	7.2	9.5	4.5	5	0.5
564	63	7.2	9.5	4.5	5	0.5
684	63	7.2	11.0	6.0	5	0.5
684	100	7.2	11.0	6.0	5	0.5
824	63	7.2	11.0	6.0	5	0.5
105	63	7.2	11.0	6.0	5	0.5